

# IN-NR001F1

## Network Receiver



Alarm



Signal receiver

This Hanwell IceSpy network receiver collects data from multiple points within a site using standard TCP/IP communication protocols for speedy data handling.

### Features

- ✓ On-board relays configured for common alarm and power failure
- ✓ Receives data from up to 200 IceSpy transmitters
- ✓ The receiver incorporates a wall mountable bracket
- ✓ Battery back up for 3 days
- ✓ Easily accessible battery for replacement by the user, if required
- ✓ Up to 5 year battery life
- ✓ Complies with BS EN 12830
- ✓ Complies with RoHS, EU directives and WEEE
- ✓ Carries CE Marking



Always ask for a long-range signal strength test.



We can prove ours to be unrivalled.

### Instrumentation specification

Dimension (Excl. ancillaries)	195 x 148 x 45 mm
Weight	450 grams
Power supply	12 VDC via external universal power supply. Power supply included.
Case material	ABS
Battery back up	Up to 3 days
Memory back up	3 days (up to 100 sensors)
IP rating	IP53
Instrument operating range	0°C to +40°C in a non-condensing RH environment
Storage temperature	-40°C to +85°C
Outputs	Relay 1 Common Alarm (NO or NC) Relay 2 Power Failure (Held closed when powered)

Product code: IN-NR001F1

### Visual indicators

LED Indication	Red (Alarm) Yellow (Network Comms) Green (Power/Radio Comms)
Communication	TCP/IP via RJ45 connector

### Radio functions

Radio frequency	433-434 MHz
Radio protocol	Frequency hopping for greater security

Manufactured by Hanwell | Ellab   RoHS

Version 3 - EC200072

**Disclaimer:** The information contained herein is believed to be reliable. Hanwell Solutions Ltd. is not responsible for any incorrect or incomplete information on this datasheet and the information or product may be changed without notice. Customers should obtain and verify the latest relevant information before placing orders for Hanwell products.

hanwell.com

Tel: +44 (0)1462 688070 | Email: sales.hanwell@ellab.com

Schematic

